# CONTENTS

Special Issue: Gas Phase Cluster Ions

*Preface* . . . . . ix

Multiphoton ionization of Group VIB hexacarbonyl van der Waals clusters: trends in intracluster photochemistry
W.R. Peifer and J.F. Garvey (Buffalo, NY, U.S.A.) . . . . . 1

Metastable decay of singly charged argon cluster ions $Ar_n^+$
P. Scheier and T.D. Märk (Innsbruck, Austria) . . . . . 19

The mechanism and photodissociation dynamics of the $(S{\cdot}SO_2)^+$ cluster at 308 nm
J.T. Snodgrass, T.L. Bunn and M.T. Bowers (Santa Barbara, CA, U.S.A.) . . . . . 45

Resonance-enhanced photodissociation spectroscopy of mass-selected metal-cluster cations
P.Y. Cheng, K.F. Willey, J.E. Salcido and M.A. Duncan (Athens, GA, U.S.A.) . . . . . 67

Production, dissociation and reactivity of carbon cluster anions
S.W. McElvany (Washington, DC, U.S.A.) . . . . . 81

Two-color 2 + 2 photon resonance-enhanced ionization of benzene–carbon tetrachloride binary clusters
F. Misaizu, H. Shinohara, N. Nishi (Okazaki, Japan), T. Kondow and M. Kinoshita (Tokyo, Japan) . . . . . 99

Collision-induced dissociation of positive and negative copper oxide cluster ions generated by direct laser desorption/ionization of copper oxide
J.R. Gord, R.J. Bemish and B.S. Freiser (West Lafayette, IN, U.S.A.) . . . . . 115

Hydrogenation of carbon-cluster cations with molecular hydrogen: implications for the growth of carbon-cluster molecules
D.K. Bohme and S. Wlodek (North York, Ont., Canada) . . . . . 133

A novel type of doubly charged cluster
N.G. Gotts and A.J. Stace (Brighton, Gt. Britain) . . . . . 151

Photodissociation of copper clusters, $Cu_n^+$ ($n$ = 3–8), in the 370–710 nm wavelength region
M.F. Jarrold and K.M. Creegan (Murray Hill, NJ, U.S.A.) . . . . . 161

Bond strengths of transition metal diatomics: VNi and $V_2$
E.M. Spain and M.D. Morse (Salt Lake City, UT, U.S.A.) . . . . . 183

Studies of Group III cation reactions: consecutive association of methanol to $Al^+$, $Ga^+$, and $In^+$
R.E. Leuchtner, R.W. Farley, A.C. Harms, H. Funasaka and A.W. Castleman, Jr. (University Park, PA, U.S.A.) . . . . . 199

Excess-electron and excess-hole states of charged alkali halide clusters
E.C. Honea, M.L. Homer and R.L. Whetten (Los Angeles, CA, U.S.A.) . . . . . 213

Electronic level structure of Group III heavy element clusters studied by photoelectron spectroscopy
M. Gausa, G. Ganteför, H.O. Lutz and K.H. Meiwes-Broer (Bielefeld, F.R.G.) . . . . . 227

Mass spectra and photodetachment of sodium fluoride negative ion clusters
T.M. Miller and W.C. Lineberger (Boulder, CO, U.S.A.) . . . . . 239

Ion–molecule clusters involving doubly charged metal ions ($M^{2+}$)
A.T. Blades, P. Jayaweera, M.G. Ikonomou and P. Kebarle (Edmonton, Alta., Canada) . . 251

Collision-induced dissociation of $Nb_n^+$ ($n$ = 2–11): bond energies and dissociation pathways
D.A. Hales, L. Lian and P.B. Armentrout (Salt Lake City, UT, U.S.A.) . . . . . 269

The negative ion photoelectron (photodetachment) spectra of $NO^-(H_2O)_{n=1,2}$
J.G. Eaton, S.T. Arnold and K.H. Bowen (Baltimore, MD, U.S.A.) . . . . . 303

Molecular orbital studies on cyclic sulfur clusters: $S_6$–$S_{12}$
K. Raghavachari (Murray Hill, NJ, U.S.A.), C.M. Rohlfing and J.S. Binkley (Livermore, CA, U.S.A.) . . . . . 313
Spectroscopic characterization of inductive binding in ions
D. Lessen, R.L. Asher and P.J. Brucat (Gainesville, FL, U.S.A.) . . . . . 331

*Author Index* . . . . . 353

*Subject Index* . . . . . 354